

# OPTION SHEET FOR NANOPOWER BP4

Customer Product ID: \_\_\_\_\_ (optional, enter your reference here)

Order number: \_\_\_\_\_

## 1. Configuration Table

Battery Configuration	
4 cells: 1P4S 12 – 16.8 V	
4 cells: 2P2S 6 – 8.4 V	

Misc. Options	
Conformal coating (extra cost)	

Stack Connector Option See chapter 2	
Stack through F	
None stack through G	
No stack connector	

## 2. Stack Connectors

The following types of Samtec connectors are the available types for this product. If another connector is needed, please contact GomSpace to get a quote for mounting another type.

		<b>Samtec Part Number</b>	<b>Height of Housing [mm]</b>
F		SSQ-126-02-G-D	19.56
		ESQ-126-14-G-D	
G		SSQ-126-02-G-D	19.56
		ESQ-126-12-S-D	

Product name: NanoPower BP4

Document No.: 1013030

Revision: 2.2

Author: PNN

Approved by: LAV

Approval date: 11 September 2023

## Confidentiality Notice

This document is submitted for a specific purpose as agreed in writing and contains information, which is confidential and proprietary. The recipient agrees by accepting this document, that this material will not be used, transferred, reproduced, modified, copied or disclosed in whole or in part, in any manner or to any third party, except own staff to meet the purpose for which it was submitted without prior written consent.

GomSpace © 2023